

	Application No.	Applicant(s)
Notice of Allowability	09/549,368	ENDRES ET AL.
	Examiner	Art Unit
	Edith M. Chang	2637
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment after final filed on Aug 26 2005</u> .		
2. The allowed claim(s) is/are <u>2-10,12-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
Attachment(s)	5 🗆 Nation of Information	-total Application (DTO 452)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		atent Application (PTO-152) (PTO-413).
	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
o. Diological material	9.	

Application/Control Number: 09/549,368

Art Unit: 2637

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Allan J. Jacobson on September 13, 2005.

2. The application has been amended as follows:

In the claims:

Claim 2, lines 21 & 22 have been deleted; line 24: "to said second mode on the individual sample by sample basis" has been changed to "to said second mode".

Claims 9 & 19, line 2: "the constant modulus algorithm" has been changed to "the constant modulus algorithm of the first individual signal sample".

Claim 12, lines 16 & 17 have been deleted.

3. The following is an examiner's statement of reasons for allowance:

Claims are allowable over prior art of record because the prior art of record does not teach or suggest, alone or in a combination, among other things, at least a method or apparatus for operating the feedback equalizer filter as a whole, the combination of elements and features as claimed, which includes switching from said second mode to said first mode responsive to a first individual signal sample including measuring the quality level of individual signal samples in the hard decision and soft decision samples;

Application/Control Number: 09/549,368

Art Unit: 2637

coupling the soft decision samples to the feedback equalizer filter when the quality level is at a first quality level; coupling the hard decision samples when the quality level is at a second quality level, wherein the second quality level is greater than the first quality level as claimed.

- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edith M. Chang whose telephone number is 571-272-3041. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay K. Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/549,368

Art Unit: 2637

Edith Chang September 13, 2005

> YOUNG T. TSE PIMARY EXAMINER